


1" TIEDOWN ASSEMBLIES




1" Ratchet



1" Cam Buckle

Series 1,000 - 1" Wide

End Fitting	Buckle	Part Number		10' Weight (lbs.)	Working Load Limit (lbs.)	Ultimate Breaking Strength* (lbs.)
		10' Length**	15' Length**			
	Ratchet	60101	6A101	1.1	700	2,100
	Cam	60109	6A109	0.7	330	1,000
	Ratchet	60102	6A102	1.1	700	2,100
	Cam	60110	6A110	0.7	330	1,000
	Ratchet	60103	6A103	1.7	700	2,100
	Cam	60111	6A111	1.3	330	1,000
	Ratchet	60104	6A104	1.5	700	2,100
	Cam	60113	6A113	1.0	330	1,000
	Ratchet	60105	6A105	1.5	700	2,100
	Cam	60114	6A114	1.1	330	1,000
	Ratchet	60106	6A106	1.6	700	2,100
	Cam	60112	6A112	1.2	330	1,000
	Ratchet	60107	6A107	0.9	700	2,100
	Cam	60108	6A108	0.5	330	1,000

* Ultimate breaking strength of assembly when new.

** Non-standard lengths available.

*** Exception: Series 1,000 Ratchet Assembly with Flat Hooks, WLL is 330 lbs. and Ultimate Breaking Strength is 1,000 lbs.



DISPLAY BOX

1" X 15' Ratchet
Tiedown Assembly
16 piece Display Box

6A103B

Order 1 each for
quantity of 16
ratchets.



RETRACTABLE

Our 1" X 12'
Retractable Ratchet
Tiedown Assembly in
a convenient 2 pack.

WLL 500 lbs.

60203

Order 1 each
for quantity of 2
ratchets.

Both assemblies have PE coated open hooks.

* **WARNING** Always protect Tiedowns from being cut by corners and edges. Always protect synthetic slings from being cut by corners and edges. See the Sling Protection section in this catalog.

RATCHET ASSEMBLIES

		Series 5,000			Series 10,000		
WEB WIDTH		2"			2"		
*ULTIMATE BREAKING STRENGTH		5,000 lbs.			10,000 lbs.		
WORKING LOAD LIMIT		1,600 lbs.			3,300 lbs.		
End Fitting	Length** (ft.)	Standard Part No.	Tuff-Edge® Part No.	Weight (lbs.)	Standard Part No.	Tuff-Edge Part No.	Weight (lbs.)
 Flat Hook	27	60501	TE60501	4.6	61001	TE61001	5.8
	30	60502	TE60502	4.8	61002	TE61002	6.0
 Stamped Triangle	27	60503	TE60503	4.2	61003	TE61003	5.2
	30	60504	TE60504	4.4	61004	TE61004	5.4
 Stamped Snap Hook	27	60505	TE60505	4.6	61005	TE61005	6.2
	30	60506	TE60506	4.8	61006	TE61006	6.4
 Twisted Snap Hook	27	60507	TE60507	5.2	61007	TE61007	5.6
	30	60508	TE60508	5.4	61008	TE61008	5.8
 Forged Snap Hook	27	60509	TE60509	5.8	61009	TE61009	6.4
	30	60510	TE60510	6.0	61010	TE61010	6.6
 D-Ring	27	60511	TE60511	4.2	-	-	-
	30	60512	TE60512	4.4	-	-	-
 U-Hook	27	60513	TE60513	4.6	26422	TE26422	5.8
	30	60514	TE60514	4.8	26423	TE26423	6.0
 Hook & Keeper	27	60515	TE60515	4.8	-	-	-
	30	60516	TE60516	5.0	-	-	-
 Chain Anchor Assembly	27	-	-	-	61013	TE61013	13.0
	30	-	-	-	61014	TE61014	13.2
 Type A (Endless)	27	60517	TE60517	3.8	61011	TE61011	4.4
	30	60518	TE60518	4.0	61012	TE61012	4.6

* Ultimate breaking strength of assembly when new.

** Non-standard lengths available.

Note: Since end terminations vary proportionally with size, check with Lift-All if precise dimensions are required.

CORNER GUARD

- Movable, rust-proof copolymer design.
- Protects from sharp edges.
- Tough enough for chain or webbing.
- Corner Guard is to be used with 2"- 4" webbing.
- Part Number **CG**



*** WARNING** Always protect Tiedowns from being cut by corners and edges. Always protect synthetic slings from being cut by corners and edges. See the Sling Protection section in this catalog.

RATCHET ASSEMBLIES

Series 15,000							
WEB WIDTH		3"			4"		
*ULTIMATE BREAKING STRENGTH		15,000 lbs.					
WORKING LOAD LIMIT		5,000 lbs.					
End Fitting	Length** (ft.)	Standard Part No.	Tuff-Edge® Part No.	Weight (lbs.)	Standard Part No.	Tuff-Edge Part No.	Weight (lbs.)
 Flat Hook	27	20482	TE20482	12.8	26424	TE26424	13.6
	30	20483	TE20483	13.2	26425	TE26425	14.0
 Forged Triangle	27	20484	TE20484	14.0	26430	TE26430	14.8
	30	20485	TE20485	14.4	26431	TE26431	15.2
 Chain Grab Hook	27	20486	TE20486	13.4	26426	TE26426	14.2
	30	20487	TE20487	13.8	26427	TE26427	14.6
 Chain Anchor Assembly	27	20488	TE20488	16.8	26432	TE26432	17.6
	30	20489	TE20489	17.2	26433	TE26433	18.0
 U-Hook	27	20494	TE20494	13.0	26436	TE26436	13.8
	30	20495	TE20495	13.2	26437	TE26437	14.2
 7-in. Sewn Eye	27	20490	TE20490	11.0	26428	TE26428	11.8
	30	20491	TE20491	11.4	26429	TE26429	12.2
 Type A (Endless)	27	20492	TE20492	10.6	26434	TE26434	11.4
	30	20493	TE20493	11.0	26435	TE26435	11.8

* Ultimate breaking strength of assembly when new.

** Non-standard lengths available.

SLIDING SLEEVE

Part Number	Description
60117	1-1/2" Flat Sliding Sleeve for 1" Load Hugger
60118	2-1/2" Flat Sliding Sleeve for 2" Load Hugger
60119	3-1/4" Flat Sliding Sleeve for 3" Load Hugger
60120	4-1/2" Flat Sliding Sleeve for 4" Load Hugger



- Double-walled tubular product.
- Protects Load Hugger webbing from abrasion and helps resist cutting.
- Offered in 1ft. lengths.

RATCHET PROTECTOR

A sewn fabric pad protects surface finish of cargo and ratchet mechanism.



Part Number	Description
1RP	1" Ratchet Protector
2RP	2" Ratchet Protector
3RP	3" Ratchet Protector
4RP	4" Ratchet Protector

* **WARNING** Always protect Tiedowns from being cut by corners and edges. Always protect synthetic slings from being cut by corners and edges. See the Sling Protection section in this catalog.