

TIEDOWNS & WHEEL STRAPS

Mix or match these 2" components to get the exact combination you want!

1. Specify the part number for the fixed or adjustable end that you want.
2. For non-standard **fixed end** web length, change the **10** in the part number to desired length in inches.
3. For non-standard **adjustable end** web length, change the number in the part number to desired length (in feet).
4. Part numbers shown are for *Tuff-Edge*® Hi-Vis webbing. For traditional yellow tiedown web, replace the "T" at the end of the part number with a "Y".


Fixed Ends – 10" Web Length Standard

FH10T




Flat Hook – WLL 3,300-lbs.
Long Wide Handle Ratchet

CG10T



Chain w/ Grab Hook – WLL 3,300-lbs.
Long Wide Handle Ratchet

TR10T




Triangle – WLL 3,300-lbs.
Long Wide Handle Ratchet

CE10



Chain End – WLL 3,300-lbs.
Short Wide Handle Ratchet

TS10T



Twisted Snap Hook – WLL 3,300-lbs.
Long Wide Handle Ratchet

UH10T




U-Hook – WLL 1,600-lbs.
Short Wide Handle Ratchet

EH10T



Eye Hook – WLL 3,300-lbs.
Long Wide Handle Ratchet

FS10T



Flat Snap Hook – WLL 2,000-lbs.
Short Wide Handle Ratchet

Exclusively manufactured and shipped from our Chicago plant.

TIEDOWNS & WHEEL STRAPS

Adjustable Ends



Flat Hook – WLL 3,300-lbs.

7-ft. Length **AFH7T**
 25-ft. Length **AFH25T**
 28-ft. Length **AFH28T**



**Flat Snap Hook w/ 18" Sliding Sleeve
 WLL 2,000 lbs.**

**** Used on *Dynamic*® Wheel Lifts ****
 6-ft. Length **AFSS8T**
 7-ft. Length **AFSS7T**



**Wrap Around Strap U-Hook
 WLL 1,600-lbs.**

****Use 7-ft. on *Avenger*® & *Peterson*® Scoops****
 7-ft. Length **AUH7T**
 25-ft. Length **AUH25T**
 28-ft. Length **AUH28T**



**Retainer Strap w/ Flat Snap Hook
 & D-Ring w/30" Sliding Sleeve
 WLL 2,000-LBS.**

**** Used on *American*® Wheel Lifts****
 7-ft. Length **ARS7T**



**Triangle
 WLL 3,300-lbs.**

25-ft. Length **ATR25T**
 28-ft. Length **ATR28T**



Triangle – WLL 3,300-lbs.

**** Use 7-ft. on *Weld-Built*® Wheel Lifts****
 7-ft. Length **ATS7T**
 25-ft. Length **ATS25T**
 28-ft. Length **ATS28T**



**Lasso Strap - O-Ring
 WLL 3,300-lbs.**

8-ft. Length **ALO8T**
 12-ft. Length **ALO12T**



**Chain w/ Grab Hook
 WLL 3,300-lbs.**

25-ft. Length **ACG25T**
 28-ft. Length **ACG28T**

Exclusively manufactured and shipped from our Chicago plant.

- General Information
- Web Slings
- Round Slings
- Sling Protection
- Wire Rope
- Chain Slings
- Rigging Hardware
- Mesh Slings
- Load Huggers
- Tow Products
- Lift-All Hoists
- Hoist Rings
- Plate Clamps
- Lifting Devices

TIEDOWNS & WHEEL STRAPS

Adjustable Ends (continued)



**Axle Strap w/ Twisted Snap Hook,
Triangle, & 12" Wear Pad Sleeve**
WLL 3,300-lbs.

10-ft. Length **AAS10T**



Cluster Hook (R, T & Mini J)
WLL 1,600-lbs.

8-ft. Length **ACH8T**



Keyhole Strap
WLL 3,300-lbs.

Used on Chevron® Wheel Lifts

8-ft. Length **AEH15T**



Axle Strap
WLL 2,000-LBS.

22-in. Length **AS22T**
36-in. Length **AS36T**



Axle Strap Sewn-On Wear Pad
WLL 3,300-LBS.

22-in. Length **ASWP22T**
36-in. Length **ASWP36T**



Flat Snap Hook – WLL 2,000-lbs.

6-ft. Length **AFS6T**



Lasso Strap
Plain Eye
WLL 3,300-lbs.

8-ft. Length **ALE8T**



Lasso Strap
Eye w/Cordura Wrap
WLL 3,300-lbs.

8-ft. Length **ALEI8T**



Eye Hook
WLL 3,300-lbs.

15-ft. Length **AEH15T**

Exclusively manufactured and shipped from our Chicago plant.